

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	31967	ITO-M\$.IN. OR NEC.AS.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 13:51
L11	946	L10 AND TEST\$3.CLM.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 13:51
L12	8	L11 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit")).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 13:51
L13	11198	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:02
L14	5191	L13 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:02
L15	380	L14 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:02
L17	12	L15 and (address adj generator).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:39
L18	11198	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L19	5191	L18 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L20	380	L19 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L21	359	L20 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L22	341	L21 and memory.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L23	210	L22 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L24	170	L23 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37

EAST Search History

L25	93	L24 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:37
L26	7	L25 and (address adj generator). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:41
L27	11198	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L28	5191	L27 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L29	380	L28 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L30	359	L29 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L31	341	L30 and memory.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L32	210	L31 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L33	170	L32 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L34	93	L33 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L35	64	L34 AND (((one adj bit) or ("1" adj bit)) with memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L36	64	L35 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L37	64	L36 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L38	64	L37 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:40
L39	4	L38 and (address adj generator). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/28 14:41

EAST Search History

L40	1	10/723,278	US-PGPUB; USPAT; JPO	OR	ON	2006/09/28 16:16
L41	8	("6650583" or "5703818" or "6907555" or "6421797" or "6317373" or "5659549" or "5587950" or "5548596").pn.	US-PGPUB; USPAT; JPO	OR	ON	2006/09/28 16:18
L42	0	l8 and (data with (one or "1"))	US-PGPUB; USPAT; JPO	OR	ON	2006/09/28 16:18